

# PASSENGER & LIGHT TRUCK TIRES



**HERCULES TIRES**™

*Ride on our strength.*

# REDEFINING VALUE SINCE 1952.



**FOR OVER 70 YEARS**, Hercules Tires® has been quietly redefining value in the replacement tire industry. We do so by continually giving our customers the performance they demand, the choices they desire and the affordability they deserve. And we deliver it all with a unique combination of cutting-edge expertise and old-fashioned integrity. The result is a better, smarter, more convenient tire buying experience for today's car, light truck and SUV drivers.



## PROTECTION

When you take Hercules Tires along for the ride, you can drive confidently, knowing that you have the power of our industry-leading protection plan along for the ride.



## SELECTION

With our wide selection, Hercules Tires has just the tire you're looking for—no matter what you drive, or where you drive it.



## CONNECTION

Unlike most replacement tire suppliers, we sell our tires through a network of independent dealers across North America, each trained and empowered to keep you connected to our ongoing support.

# HERCULES PERFORMANCE PROMISE



## MILEAGE COVERAGE PLAN

We back many of our Hercules brand passenger and light truck tires with our Hercules Mileage Coverage Plan—up to an incredible **70,000 miles**.



## ROAD HAZARD PROTECTION

We'll replace your damaged tires for **free** within the first **24 months** or **50% of treadlife**.



## "TRUST OUR RIDE" 45 DAY TRIAL

If you're not happy with your purchase, we'll replace your tires within the first **45 days** with a comparable set of Hercules Tires.



## WORKMANSHIP & MATERIALS

If your tires become unserviceable within the first **50% of treadlife** due to manufacturing defects, we'll replace them for free.



# CONTENTS

<b>PERFORMANCE</b>	<b>9</b>
RAPTIS® R-T6	10
RAPTIS® R-T6X	12
H/P 4000	14
<b>TOURING</b>	<b>15</b>
ROADTOUR® CONNECT PCV	16
ROADTOUR® CONNECT AS	18
<b>SUV / LIGHT TRUCK</b>	<b>21</b>
TERRA TRAC® CROSS-V AW™	22
TERRA TRAC® AT X-JOURNEY	24
TERRA TRAC® AT X-VENTURE	26
TERRA TRAC® T/G MAX	28
TERRA TRAC® M/T	30
TERRA TRAC® CH4	32
TERRA TRAC® HPT	34
TIS® TT1 by HERCULES	36
<b>UTV</b>	<b>39</b>
TIS® UT1 by Hercules	40
<b>WINTER</b>	<b>43</b>
AVALANCHE® RT	44
AVALANCHE® XUV	46
AVALANCHE® TT	47
<b>ALL-STEEL LIGHT TRUCK</b>	<b>49</b>
H-901 LT	50
<b>SPECIALTY TRAILER</b>	<b>51</b>
STRONG GUARD® ST	52
H-901 ST	53
LOW-PRO H-D	54
<b>LOAD INDEX TABLE</b>	<b>55</b>
<b>SPEED SYMBOLS</b>	<b>57</b>
<b>TIRE SIZES</b>	<b>58</b>

# PERFORMANCE

MILEAGE COVERAGE

ROAD HAZARD PROTECTION

"TRUST OUR RIDE"  
45 DAY TRIAL

WORKMANSHIP & MATERIALS

RAPTIS® R-T6	•	•	•	•
RAPTIS® R-T6X	•	•	•	•
H/P 4000	•	•	•	•

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).



**WHEEL  
DIAMETER  
RANGE**

16" - 20"

**SPEED RATING**

W/Y-Rated

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## RAPTIS® R-T6

PREMIUM UHP | ALL-SEASON



- Advanced silica compound ensures balanced wet and snow performance.
- Increased contact patch improves dry grip performance and overall tread life.
- Tie-Bars enhances shoulder stiffness for improved handling performance.
- Strategically placed ridges disperse water more quickly for better handling on wet surface.
- 3D sipes minimize tread block movement for greater control when braking and tighter cornering.





### WHEEL DIAMETER RANGE

19" – 20"

### SPEED RATING

H/V-Rated

### SIZE:

### PRICE:



## RAPTIS® R-T6X

PREMIUM UHP | ALL-SEASON



- Advanced silica compound ensures balanced wet and snow performance.
- Increased contact patch improves dry grip performance and overall tread life.
- CoolCourse Temperature Control System disperses water more quickly for better handling on wet surface.
- Strategically placed ridges dissipates heat to prevent breakdown and increase tire life.\*
- 3D sipes minimize tread block movement for greater control when braking and tighter cornering.

\* Temperature control system only featured on the Raptis® R-T6X.



# H/P 4000

COSMETIC PERFORMANCE | ALL-SEASON



- Performance-enhanced tread design for cutting-edge traction in all conditions.
- Raised white lettering adds a classic touch of personality and style.
- Large multi-siped tread blocks taper into a rounded shoulder.
- Wide solid center rib delivers high-speed stability and ensures constant rubber-to-road contact.



**WHEEL DIAMETER RANGE**

14" – 15"

**SPEED RATING**

S/T-Rated

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



# TOURING

MILEAGE COVERAGE

ROAD HAZARD PROTECTION

"TRUST OUR RIDE" 45 DAY TRIAL

WORKMANSHIP & MATERIALS

ROADTOUR® CONNECT PCV

• • • •

ROADTOUR® CONNECT AS

• • • •

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).





**WHEEL  
DIAMETER  
RANGE**

15" – 20"

**SPEED RATING**

T/H/V-Rated

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## ROADTOUR<sup>®</sup> CONNECT PCV

TOURING | ALL-SEASON



- Optimized tread contact for a quiet ride and predictable control while improving fuel efficiency.
- Smart interior construction and an advanced silica tread compound – promotes increased tread life and enhanced performance in all-season conditions.
- Wide circumferential center and intermediate grooves allow water and snow to be expelled from the tread contact patch allowing the vehicle to remain connected to the road.
- Unique corrugated and full depth siping for improved traction, stable handling and confident steering response even as the tire wears.





### WHEEL DIAMETER RANGE

14" – 19"

### SPEED RATING

T/H/V-Rated

### SIZE:

### PRICE:



## ROADTOUR® CONNECT AS

TOURING | ALL-SEASON



- **Extended Tread Life.** Utilizing an advanced, next-generation compound for higher tread wear.
- **All-Season Capability.** Intricate tread block geometry and water evacuation grooves ensure balanced traction in all-seasons.
- **Optimized Ride Comfort.** Intentionally placed tread elements work in tandem for even wear and lower rolling resistance, enhancing ride comfort and providing a quiet ride.
- **Enhanced Performance.** High-density siping and grooves collaborate to improve control for braking and stability in various weather conditions.



# SUV / LIGHT TRUCK

	MILEAGE COVERAGE	ROAD HAZARD PROTECTION	"TRUST OUR RIDE" 45 DAY TRIAL	WORKMANSHIP & MATERIALS
TERRA TRAC® CROSS-V AW	•	•	•	•
TERRA TRAC® AT X-JOURNEY	•	•	•	•
TERRA TRAC® AT X-VENTURE	•	•	•	•
TERRA TRAC® T/G MAX		•	•	•
TERRA TRAC® M/T		•	•	•
TERRA TRAC® CH4		•	•	•
TERRA TRAC® HPT	•	•	•	•
TIS® TT1 by HERCULES		•	•	•

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).



**WHEEL  
DIAMETER  
RANGE**

16" - 22"

**LOAD ID**

SL/XL/E

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## TERRA TRAC® CROSS-V AW

PREMIUM | SUV / SUV / LT | ALL-WEATHER



- **Convenient Simplicity.** A practical option designed to handle a variety of weather conditions without requiring seasonal tire changes.
- **Premium Construction.** Advanced design promotes even wear, enhanced traction, and prolonged tread life.
- **Ride Comfort.** Confidently handles turns, masters stop-and-go traffic, and enhances overall driving stability for a comfortable commute.





**WHEEL  
DIAMETER  
RANGE**

15" - 20"

**LOAD ID**

STD/XL

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## TERRA TRAC® AT X-JOURNEY

PREMIUM ALL-TERRAIN | ALL-SEASON | CROSSOVER



ON & OFF-ROAD

- Sound Block Technology is designed to harmonize the tread lugs and create a sound barrier for a quiet comfortable ride.
- Tusk Grooves keep the tread clear of mud, dirt and stones for all-terrain traction.
- 3 Peak Mountain Snowflake Certified, these tires meet performance criteria to be considered severe snow service rated.





**WHEEL  
DIAMETER  
RANGE**

15" - 20"

**LOAD ID**

STD/C/E/F

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## TERRA TRAC® AT X-VENTURE

PREMIUM ALL-TERRAIN | ALL-SEASON



ON & OFF-ROAD

- Sound Block Technology is designed to harmonize the tread lugs and create a sound barrier for a quiet comfortable ride.
- Tusk Grooves keep the tread clear of mud, dirt and stones for all-terrain traction.
- 3 Peak Mountain Snowflake Certified, these tires meet performance criteria to be considered severe snow service rated.





**WHEEL  
DIAMETER  
RANGE**

15" - 20"

**LOAD ID**

C/D/E

**SIZE:**

**PRICE:**



## TERRA TRAC® T/G MAX

PREMIUM COMMERCIAL TRACTION | ALL-SEASON



ON & OFF-ROAD

- Robust, silica-based compound and optimized void-to-rubber ratio provide exceptional cut and chip resistance.
- Aggressive upper shoulder design offers superior abrasion resistance.
- Stone ejector ribs help prevent stone drilling.
- Deep  $18.5/32$ " tread ensures dependable traction and grip, helping vehicles deliver maximum torque.





**WHEEL  
DIAMETER  
RANGE**

15" - 20"

**LOAD ID**

C/D/E

**SIZE:**

**PRICE:**



## TERRA TRAC® M/T

PREMIUM MUD TERRAIN | ALL-SEASON



ON & OFF-ROAD

- Lower void-to-rubber ratio in the middle of the tread acts like a center rib to promote better handling and a quieter ride.
- High void-to-rubber ratio on the outside of the tire delivers extreme off-road traction.
- Aggressive open shoulder design features scalloped tread blocks for greater traction and mobility on soft surfaces.
- Deep siping improves wet traction and stud pins offer added winter traction and control.







**WHEEL  
DIAMETER  
RANGE**

15" - 18"

**LOAD ID**

C/D/E

**SIZE:**

**PRICE:**



## TERRA TRAC® CH4

PREMIUM COMMERCIAL HIGHWAY | ALL-SEASON



- Equipped to endure the high torque and heavy loads critical to commercial applications.
- Purpose-built for high-scrub applications, including reinforced construction to protect the tire from cutting and curb damage.
- Optimized tread design and special polymer compound help withstand weather's worst during any season.
- Profile shape optimizes wear to withstand heavier loads.





**WHEEL  
DIAMETER  
RANGE**

15" - 20"

**LOAD ID**

T/H/V

**SIZE:**

**PRICE:**



## TERRA TRAC® HPT

CUV/SUV/LT HIGHWAY TRACTION | ALL-SEASON



- An optimized tread design reduces noise level and rolling resistance for a more enjoyable ride.
- Semi-open shoulder design improves overall traction performance for a greater grip.
- Heavy density siping and groove combination gains more traction in wet and winter conditions, while reduced stone retention extends treadlife.
- Maximized footprint reduces uneven wear for a smooth and steady ride.





**WHEEL  
DIAMETER  
RANGE**

17" - 26"

**LOAD ID**

E/F

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## TIS® TT1 by HERCULES

MAX TRACTION | MUD TERRAIN



ON & OFF-ROAD



- Robust tread compound enhances puncture resistance and increased tread life in the most adverse driving conditions.
- Optimized footprint provides ideal contact for balanced pressure distribution to support even wear and enhanced longevity.
- Three (3) ply sidewall promotes tire integrity, puncture resistance and an increased load carrying capacity.
- Strategic tread pattern works to expel mud, dirt, rocks and water and provide excellent grip in hi/lo speed situations, while reducing irregular wear caused by rugged terrains.



# UTV

ROAD HAZARD  
PROTECTION

"TRUST OUR RIDE"  
45 DAY TRIAL

WORKMANSHIP &  
MATERIALS

---

TIS® UT1 by Hercules

---

See complete Limited Protection Policy at [HerculesTires.com](https://www.HerculesTires.com).



**WHEEL  
DIAMETER  
RANGE**

14" - 15"

**LOAD ID**

D

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## TIS® UT1 by Hercules

PREMIUM OFF-ROAD | ALL-TERRAIN



- Balanced void ratio and biting tread block edges offer excellent traction in a variety of surface elements.
- Scalloped shoulder lug design with elongated stone ejectors reduces stone retention and drilling.
- Deep and wide groove enhances traction performance and debris-cleaning capability.
- Optimized tread design creates stability, handling and confidence during acceleration and braking.
- Dual buttress with reinforced sidewall offers tough-as-nails, cost-effective customization.



# WINTER

ROAD HAZARD  
PROTECTION

"TRUST OUR RIDE"  
45 DAY TRIAL

TRACTION STANDARD

AVALANCHE® RT

• • •

AVALANCHE® XUV

• • •

AVALANCHE® TT

• • •

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).



**WHEEL  
DIAMETER  
RANGE**

14" – 18"

**SPEED RATING**

T/H-Rated

**SIZE:**

**PRICE:**



## AVALANCHE® RT

PREMIUM PASSENGER | STUDDABLE WINTER 



- Exclusive Snow Grip Technology integrated features equip the Avalanche RT with serious cold-weather capabilities.
- A triple polymer, cold weather compound enhances overall traction, steering and handling in harsh winter weather.
- Thin-gauge sipes provide increased flexibility and biting edges for superior control.
- Saw-tooth shaped Snow-Grabber Grooves grab and hold snow in the tread to provide snow-on-snow traction.



## AVALANCHE® XUV

PREMIUM SUV/CUV | STUDDABLE WINTER



- Snow Grip Technology provides an array of cutting-edge features to help you accelerate faster and stop shorter when it matters most.
- Snow Grabber Grooves, are specifically designed to trap and hold snow.
- Thin-gauge sipes provide more contact with the road, giving you much needed confidence and greater grip in slippery situations.



**WHEEL  
DIAMETER  
RANGE**

18" – 20"

**LOAD ID**

STD/XL

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_

## AVALANCHE® TT

PREMIUM LIGHT TRUCK | STUDDABLE WINTER



- Zig zag circumferential grooves hold snow in the tread for ideal snow-on-snow traction.
- Saw-tooth features of our Snow-Grabber Grooves hold snow in the tread to provide critical traction.
- Thin gauge, full-depth siping creates more biting edges to help grab snow and ice.
- Optional stud pins provide enhanced snow and ice traction.



**WHEEL  
DIAMETER  
RANGE**

16" – 22"

**LOAD ID**

D/E/STD/XL

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_





# ALL-STEEL LIGHT TRUCK

LIMITED  
PROTECTION POLICY

WORKMANSHIP &  
MATERIALS

---

H-901 LT

---

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).

# H-901LT

COMMERCIAL LIGHT TRUCK | ALL-STEEL



- Active sipes improve traction and create biting edges that promote better grip on snowy roads.
- Tread design features a larger footprint to maximize road contact.
- Special tread compound provides exceptional wet handling and braking.
- Durable all-steel construction distributes forces of acceleration, cornering and braking for longer wear.



**WHEEL  
DIAMETER  
RANGE**

16"

**LOAD ID**

F/G

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



# SPECIALTY TRAILER

LIMITED  
PROTECTION POLICY

WORKMANSHIP &  
MATERIALS

STRONG GUARD® ST

• •

H-901 ST

• •

LOW-PRO H-D

• •

See complete Limited Protection Policy at [HerculesTires.com](http://HerculesTires.com).

## STRONG GUARD® ST

RADIAL-PLY | SPECIALTY TRAILER



- Four circumferential grooves coupled with a strong center rib allows for efficient water channeling and straight-line tracking.
- High tensile steel belts reinforced with two jointless spiral cap plies supports higher loads with stability, durability and heat resistance.
- Increased speed rating to "N" (87MPH) to meet the evolving demands of today's vehicles.
- Sidewall curb protector provides extra protection for all the unexpected tight turns.



### WHEEL DIAMETER RANGE

13" – 16"

### LOAD ID

C/D/E/F

SIZE: \_\_\_\_\_

PRICE: \_\_\_\_\_



## H-901 ST

COMMERCIAL SPECIALTY TRAILER | ALL-STEEL



- Special tread compound provides exceptional wet handling and braking.
- Super high-tensile steel belts deliver maximum durability.
- Durable construction distributes forces of acceleration, cornering and braking for longer wear.
- Tread design features larger footprint and more biting edges for better grip in snow.



### WHEEL DIAMETER RANGE

15" – 16"

### LOAD ID

F/G

SIZE: \_\_\_\_\_

PRICE: \_\_\_\_\_



# LOW-PRO H-D

BIAS-PLY | HEAVY DUTY TRAILER



- Designed exclusively for towed low-platform trailer applications.
- ST metric sizing replaces sizes 7-14.5, 8-14.5 and 9-14.5.
- Rigid bias construction promotes optimum stability and durability.



**WHEEL  
DIAMETER  
RANGE**

14.5"

**LOAD ID**

F/G

**SIZE:** \_\_\_\_\_

**PRICE:** \_\_\_\_\_



## LOAD INDEX TABLE

LI	KG	LBS	LI	KG	LBS
65	290.0	639.3	90	600.0	1322.8
66	300.0	661.4	91	615.0	1355.8
67	307.0	676.8	92	630.0	1388.9
68	315.0	694.4	93	650.0	1433.0
69	325.0	716.5	94	670.0	1477.1
70	335.0	738.5	95	690.0	1521.2
71	345.0	760.6	96	710.0	1565.3
72	355.0	782.6	97	730.0	1609.3
73	365.0	804.7	98	750.0	1653.4
74	375.0	826.7	99	775.0	1708.6
75	387.0	853.2	100	800.0	1763.7
76	400.0	881.8	101	825.0	1818.8
77	412.0	908.3	102	850.0	1873.9
78	425.0	936.9	103	875.0	1929.0
79	437.0	963.4	104	900.0	1984.1
80	450.0	992.1	105	925.0	2039.2
81	462.0	1018.5	106	950.0	2094.4
82	475.0	1047.2	107	975.0	2149.5
83	487.0	1073.6	108	1000.0	2204.6
84	500.0	1102.3	109	1030.0	2270.7
85	515.0	1135.4	110	1060.0	2336.9
86	530.0	1168.4	111	1090.0	2403.0
87	545.0	1201.5	112	1120.0	2469.1
88	560.0	1234.6	113	1150.0	2535.3
89	580.0	1278.7	114	1180.0	2601.4

**LOAD INDEX TABLE**

LI	KG	LBS	LI	KG	LBS
115	1215.0	2678.6	140	2500.0	5511.5
116	1250.0	2755.7	141	2575.0	5676.8
117	1285.0	2832.9	142	2650.0	5842.2
118	1320.0	2910.1	143	2725.0	6007.5
119	1360.0	2998.2	144	2800.0	6172.8
120	1400.0	3086.4	145	2900.0	6393.3
121	1450.0	3196.6	146	3000.0	6613.8
122	1500.0	3306.9	147	3075.0	6779.1
123	1550.0	3417.1	148	3150.0	6944.4
124	1600.0	3527.3	149	3250.0	7164.9
125	1650.0	3637.6	150	3350.0	7385.4
126	1700.0	3747.8			
127	1750.0	3858.0			
128	1800.0	3968.3			
129	1850.0	4078.5			
130	1900.0	4188.7			
131	1950.0	4298.9			
132	2000.0	4409.2			
133	2060.0	4541.4			
134	2120.0	4673.7			
135	2180.0	4806.0			
136	2240.0	4938.3			
137	2300.0	5070.5			
138	2360.0	5202.8			
139	2430.0	5357.1			

In no event shall we be liable for lost profits or any special, incidental, indirect, consequential or reliance damages arising out of or in connection with this sizing tool or our services, under any legal theory, even if we have been advised of the possibility of such damages and notwithstanding the failure of essential purposes of any limited remedy.

**SPEED SYMBOLS**

SPEED SYMBOL	MAX SPEED (KPH)	MAX SPEED (MPH)
B	50	31
C	60	37
D	65	40
E	70	43
F	80	50
G	90	56
J	100	62
K	110	68
L	120	75
M	130	81
N	140	87
P	150	94
Q	160	100
R	170	106
S	180	112
T	190	118
U	200	124
H	210	130
V	240	149
W	270	169
Y	300	186
ZR	OVER 240	OVER 149

In no event shall we be liable for lost profits or any special, incidental, indirect, consequential or reliance damages arising out of or in connection with this sizing tool or our services, under any legal theory, even if we have been advised of the possibility of such damages and notwithstanding the failure of essential purposes of any limited remedy.

	ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>RAPTIS® R-T6</b>					
17	98564.1	205/55R16XL	94W	XL	BW
	98569.1	215/55R16XL	97W	XL	BW
	98565.1	215/55R17XL	98W	XL	BW
	98573.1	225/55R17XL	101W	XL	BW
	98576	235/55R17	99W	SL	BW
	98568.1	205/50R17XL	93W	XL	BW
	98577	215/50R17XL	95W	XL	BW
	98570.1	225/50R17XL	98W	XL	BW
	98567.1	235/50R17XL	100W	XL	BW
	98578.1	205/45R17XL	88W	XL	BW
18	98562.1	215/45R17XL	91W	XL	BW
	98560.1	225/45R17XL	94W	XL	BW
	98582	235/45R17XL	97W	XL	BW
	98585	245/45R17XL	99W	XL	BW
	98575.1	235/55R18	100W	SL	BW
	98566.1	225/50R18	95W	SL	BW
	98571.1	235/50R18	97W	SL	BW
	98574.1	245/50R18	100W	SL	BW
	98572.1	215/45R18XL	93Y	XL	BW
	98587	225/45R18XL	95W	XL	BW
19	98581	235/45R18XL	98W	XL	BW
	98580	245/45R18XL	100W	XL	BW
	98586	225/40R18XL	92W	XL	BW
	98594	235/40R18XL	95W	XL	BW
	98588	245/40R18XL	97W	XL	BW
	98602.1	255/40R18XL	99W	XL	BW
	98603	255/35R18XL	94W	XL	BW
	98604	265/35R18XL	97Y	XL	BW
	98563.1	235/55R19XL	105W	XL	BW
	98589	225/45R19XL	96W	XL	BW
20	98583	245/45R19XL	102Y	XL	BW
	98593	225/40R19XL	93W	XL	BW
	98591	235/40R19XL	96W	XL	BW
	98590	245/40R19XL	98Y	XL	BW
	98597	255/40R19XL	100W	XL	BW
	98598	275/40R19XL	105W	XL	BW
	98605	255/35R19XL	96W	XL	BW
	98599	275/35R19XL	100Y	XL	BW
	98579.1	245/45R20XL	103W	XL	BW
	98584	255/45R20XL	105W	XL	BW
20	98595.1	275/45R20XL	110W	XL	BW
	98592	245/40R20XL	99W	XL	BW
	98596	275/40R20XL	106Y	XL	BW
	98601.1	245/35R20XL	95Y	XL	BW
	98606	255/35R20XL	97W	XL	BW
	98600	275/35R20XL	102Y	XL	BW
98561.1	275/30R20XL	97Y	XL	BW	

	ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>RAPTIS® R-T6X</b>					
19	98608	255/60R19	109H	SL	BW
	98609	235/55R19XL	105V	XL	BW
	98610	235/50R19XL	103V	XL	BW
	98607	255/50R19XL	107V	XL	BW
	98611	235/45R19	95H	SL	BW
20	98612	255/45R20	101H	SL	BW
	98613	265/45R20XL	108V	XL	BW
	98614	275/45R20XL	110V	XL	BW

<b>H/P 4000</b>					
14	02824	P215/70R14	96T	STD	RWL
	02826	P225/70R14	98T	STD	RWL
	02782	P235/60R14	96T	STD	RWL
15	02828	P215/70R15	97T	STD	RWL
	02830	P225/70R15	100T	STD	RWL
	02832	P235/70R15	102T	STD	RWL
	02834	P255/70R15	108T	STD	RWL
	02798	P215/65R15	95T	STD	RWL
	02790	P235/60R15	98T	STD	RWL
	02792	P245/60R15	100T	STD	RWL
	02794	P255/60R15	102T	STD	RWL
	02796	P275/60R15	107T	STD	RWL
	02770.2	P295/50R15	105S	STD	RWL

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>ROADTOUR® CONNECT PCV</b>				
15	4535	185/65R15	88H	88 BSW
	4538	195/65R15*	91H	91 BSW
	4545	205/65R15	94H	94 BSW
	4537	195/60R15	88H	88 BSW
16	4561	205/70R16	97H	97 BSW
	4547	205/65R16*	95H	95 BSW
	4543	205/60R16*	92V	92 BSW
	4541	205/55R16*	91V	91 BSW
	4511	215/65R16	98H	98 BSW
	4551	215/60R16	95V	95 BSW
	4586	215/55R16XL	97H	97 BSW
	4556	225/60R16	98H	98 BSW
17	4573	205/50R17XL	93V	93 BSW
	4533	215/65R17	99T	99 BSW
	4549	215/55R17*	94V	94 BSW
	4577	215/50R17XL*	95V	95 BSW
	4575	215/45R17XL*	91V	91 BSW
	4507	225/65R17*	102H	102 BSW
	4529	225/60R17	99H	99 BSW
	4554	225/55R17	97V	97 BSW
	4581	225/50R17XL*	98V	98 BSW
	4553	225/45R17*	91V	91 BSW
	4503	235/65R17*	104H	104 BSW
	4523	235/60R17	102H	102 BSW
	4513	235/55R17	99H	99 BSW
	4525	215/55R18	95H	95 BSW
18	4518	225/60R18*	100H	100 BSW
	4515	225/55R18*	98H	98 BSW
	4557	225/50R18	95V	95 BSW
	4579	225/45R18XL	95V	95 BSW
	4568	235/60R18XL	107V	107 BSW
	4571	235/55R18XL	104V	104 BSW
	4500	235/50R18	97V	97 BSW
	4539	235/45R18*	94V	94 BSW
19	4527	225/55R19	99H	99 BSW
	4569	235/55R19XL*	105V	105 BSW
	4583	235/40R19XL	96V	96 BSW
20	4563	235/55R20	102H	102 BSW
	4521	245/50R20	102V	102 BSW



ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>ROADTOUR® CONNECT AS</b>				
14	98693	185/65R14	86H	SL BSW
	98692	185/60R15	84H	SL BSW
15	98694	185/65R15	88H	SL BSW
	98695	195/60R15	88H	SL BSW
	98696	195/65R15	91H	SL BSW
	98699	205/65R15	94H	SL BSW
	98701	205/70R15	96T	SL BSW
	98702	205/75R15	97T	SL BSW
	98710	215/70R15	98T	SL BSW
	98712.1	215/75R15	100T	SL BSW
	98730	235/75R15	105T	SL BSW
	98697	205/55R16	91V	SL BSW
	98698	205/60R16	92V	SL BSW
16	98700	205/65R16	95H	SL BSW
	98704	215/55R16XL	97H	XL BSW
	98706.1	215/60R16	95V	SL BSW
	98708	215/65R16	98H	SL BSW
	98711	215/70R16	100T	SL BSW
	98717	225/60R16	98H	SL BSW
	98720	225/65R16	100H	SL BSW
	98722	225/70R16	103T	SL BSW
	98728.1	235/65R16	103H	SL BSW
	98703	215/50R17XL	95V	XL BSW
	98705	215/55R17	94V	SL BSW
	98707	215/60R17	96H	SL BSW
	98709	215/65R17	99T	SL BSW
17	98714	225/50R17	94V	SL BSW
	98715	225/55R17	97V	SL BSW
	98744	225/60R17	99H	SL BSW
	98721	225/65R17	102H	SL BSW
	98725	235/55R17	99H	SL BSW
	98727	235/60R17	102H	SL BSW
	98729	235/65R17	104H	SL BSW
	98713	225/45R18XL	95V	XL BSW
	98716	225/55R18	98H	SL BSW
	98719	225/60R18	100H	SL BSW
18	98723.1	235/45R18	94V	SL BSW
	98724	235/50R18	97V	SL BSW
	98745	235/55R18	100V	SL BSW
	98731	245/45R18XL	100V	XL BSW
	98746	255/45R19	100V	STD BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TERRA TRAC® CROSS-V AW</b>				
16	98649	215/65R16	98H	SL BSW
	98650.1	235/70R16XL	109T	XL BSW
	98651	265/70R16	112T	SL BSW
17	98652	225/60R17	99H	SL BSW
	98653.1	225/65R17	102H	SL BSW
	98654.1	235/65R17XL	108H	XL BSW
	98655.1	245/65R17	107H	SL BSW
	98656.1	245/70R17	110T	SL BSW
	98657	265/70R17	115T	SL BSW
	98658	225/55R18	98V	SL BSW
18	98659.1	225/60R18	100H	SL BSW
	98660	235/55R18	100V	SL BSW
	98661	235/60R18XL	107V	XL BSW
	98662	235/65R18	106V	SL BSW
	98663	245/60R18	105H	SL BSW
	98664	255/65R18	111T	SL BSW
	98665	265/60R18	110H	SL BSW
	98666	265/65R18	114T	SL BSW
	98667	275/65R18	116T	SL BSW
	98668	225/55R19	99V	SL BSW
	98669	235/55R19	101H	SL BSW
20	98670	245/55R19	103H	SL BSW
	98671.1	235/55R20	102V	SL BSW
	98672.1	245/50R20	102V	SL BSW
	98673	255/50R20XL	109V	XL BSW
	98674.1	255/55R20XL	110V	XL BSW
	98675	265/50R20XL	111V	XL BSW
	98676	275/55R20XL	117H	XL BSW
	98677	275/60R20	115H	SL BSW
22	98678.1	275/50R22	111H	SL BSW
	98679	285/45R22XL	114H	XL BSW
<b>LT SIZES</b>				
16	98680	LT215/85R16/10	115/112R	E BSW
	98681	LT235/85R16/10	120/116S	E BSW
	98682	LT245/75R16/10	120/116S	E BSW
17	98683	LT235/80R17/10	120/117S	E BSW
	98684	LT245/75R17/10	121/118S	E BSW
	98685	LT265/70R17/10	123/120S	E BSW
20	98686	LT275/70R18/10	125/122S	E BSW
	98687	LT275/65R20/10	126/123H	E BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TERRA TRAC® AT X-JOURNEY</b>				
15	02803	235/75R15	109T	XL OWL
	02557	245/75R16	111T	STD BSW
16	02252	235/70R16	106T	STD BSW
	02584	255/70R16	111T	STD BSW
	02594	265/70R16	112T	STD BSW
	02636	235/75R17	109T	STD BSW
17	02555	245/70R17	110T	STD BSW
	02596	265/70R17	115T	STD BSW
	02634	225/65R17	102H	STD BSW
	02656	235/65R17	108H	XL BSW
	02658	245/65R17	111T	XL BSW
	02652	255/70R18	113T	STD BSW
	02598	265/70R18	116T	STD BSW
18	02592	265/65R18	114T	STD BSW
	02628	275/65R18	116T	STD BSW
	02650	245/60R18	105H	STD BSW
	02588	265/60R18	110T	STD BSW
	02624	275/60R20	115T	STD BSW
20	02660	275/55R20	117T	XL BSW
	02664	265/50R20	111T	XL BSW



	ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TERRA TRAC® AT X-VENTURE</b>					
<b>16</b>	02620	265/75R16	116T	STD	BSW
	02654	255/75R17	115T	STD	BSW
	02586	255/70R17	112T	STD	BSW
<b>17</b>	02632	P285/70R17	117T	STD	BSW
	02583	255/65R17	110T	STD	BSW
	02590	265/65R17	112T	STD	BSW
	02733	30X9.50R15	104R	C	OWL
<b>FLOTATION</b>	02736	31X10.50R15	109R	C	OWL
	02708	35X12.50R18	128Q	F	RBL
	02712	35X12.50R20	125Q	F	RBL
	02801	LT235/75R15	104/101R	C	OWL
<b>15</b>	02666	LT215/85R16	115/112R	E	RBL
	02672	LT235/85R16	120/116R	E	RBL
	02668	LT225/75R16	115/112R	E	RBL
	02716	LT245/75R16	120/116R	E	OWL
	02724	LT265/75R16	123/120R	E	OWL
	02697	LT285/75R16	126/123R	E	RBL
	02730	LT265/70R16	121/118R	E	OWL
<b>16</b>	02670	LT235/80R17	120/117R	E	RBL
	02718	LT245/75R17	121/118S	E	OWL
	02674	LT245/70R17	119/116S	E	RBL
	02722	LT265/70R17	121/118S	E	OWL
	02678	LT275/70R17	121/118R	E	RBL
	02695	LT285/70R17	121/118S	E	RBL
	02699	LT315/70R17	121/118S	E	RBL
	02685	LT265/70R18	124/121S	E	RBL
<b>17</b>	02728	LT275/70R18	125/122S	E	OWL
	02676	LT265/65R18	122/119R	E	RBL
	02726	LT275/65R18	123/120S	E	OWL
	02693	LT285/65R18	125/122S	E	RBL
	02687	LT275/65R20	126/123S	E	RBL
<b>18</b>	02683	LT265/60R20	121/118R	E	RBL
	02704	LT275/60R20	123/120S	E	RBL
	02706	LT285/60R20	125/122S	E	RBL
	02701	LT275/55R20	120/117S	E	RBL
	02689	LT285/55R20	122/119R	E	RBL
	02714	LT305/55R20	125/122Q	F	RBL

	ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TERRA TRAC® T/G MAX</b>					
<b>FLOTATION</b>	09070	31X10.50R15LT	109Q	C	OWL
	09080	33X12.50R15LT	108Q	C	OWL
	09001	35X12.50R20	125Q	F	BSW
<b>17</b>	09022	37X12.50R20	126Q	E	BSW
	09100	LT235/85R16	120/116Q	E	BSW
	09120	LT245/75R16	120/116Q	E	BSW
	09020	LT265/75R16	123/120Q	E	OWL
	09040	LT285/75R16	126/123Q	E	OWL
	09110	LT235/80R17	120/117Q	E	BSW
	09060	LT245/75R17	121/118Q	E	OWL
	09090	LT245/70R17	119/116Q	E	BSW
	09030	LT265/70R17	121/118Q	E	OWL
	09010	LT285/70R17	121/118Q	E	OWL
<b>18</b>	09062	LT285/75R17	121/118Q	E	BSW
	09050	LT315/70R17	121/118Q	D	OWL
	09150	LT275/70R18	125/122Q	E	OWL
	09140	LT305/70R18	126/123Q	E	OWL
	09075	LT275/65R18	123/120Q	E	OWL
	09015	LT285/65R18	125/122Q	E	OWL
	09012	LT295/70R18	129/126Q	E	BSW
<b>20</b>	09032	LT265/60R20	121/118Q	E	BSW
	09042	LT275/55R20	120/117Q	E	BSW
	09035	LT275/65R20	126/123Q	E	BSW
	09081	LT285/55R20	122/119Q	E	BSW
	09052	LT285/60R20	125/122Q	E	BSW
	09005	LT305/55R20	125/122Q	F	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

TERRA TRAC® M/T						
FLOTATION	08010.1	31X10.50R15LT	109Q	C	OWL	
	08020.2	33X12.50R15LT	108Q	C	OWL	
	08030.1	35X12.50R15LT	113Q	C	OWL	
	08050.1	37X12.50R17LT	124P	D	BSW	
	08040.1	35X12.50R20LT	121Q	E	BSW	
16	08015.1	37X12.50R20LT	126P	E	BSW	
	08060.1	LT235/85R16	120/116Q	E	BSW	
	08070.1	LT245/75R16	120/116Q	E	BSW	
	08090	LT265/75R16	123/120Q	E	OWL	
	08130	LT285/75R16	126/123Q	E	OWL	
	08210	LT315/75R16	127/124Q	E	OWL	
	17	08120	LT285/70R17	121/118Q	E	OWL
		08080.1	LT265/70R17	121/118Q	E	OWL
		08150	LT295/70R17	121/118Q	E	OWL
	18	08110	LT275/70R18	125/122Q	E	OWL
20		08140	LT295/55R20	123/120P	E	BSW
		08160	LT305/55R20	121/118Q	E	BSW

TERRA TRAC® CH4						
15	96430	185/60R15C	94/92T	C	BSW	
	96431	195/75R16C	107/105R	D	BSW	
	96432	225/75R16C	121/120R	E	BSW	
	96433	235/65R16C	121/119R	E	BSW	
	16	96434	LT215/85R16	115/112R	E	BSW
98061		LT225/75R16	115/112R	E	BSW	
96435		LT235/85R16	120/116R	E	BSW	
96436		LT245/75R16	120/116S	E	BSW	
17		96437	LT235/80R17	120/117R	E	BSW
		96439	LT245/75R17	121/118S	E	BSW
		96438.1	LT245/70R17	119/116R	E	BSW
18	96440	LT275/70R18	125/122R	E	BSW	

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

TERRA TRAC® HPT					
15	98181	235/75R15	109T	XL	OWL
	98176	225/75R16	104T	STD	OWL
16	98182	235/75R16	108T	STD	OWL
	98187	245/75R16	111T	STD	OWL
	98194	265/75R16	116T	STD	OWL
	98173	215/70R16	100T	STD	OWL
	98175	225/70R16	103T	STD	OWL
	98180	235/70R16	106T	STD	OWL
	98185	245/70R16	107T	STD	OWL
	98189	255/70R16	111T	STD	OWL
	98192	265/70R16	112T	STD	OWL
	17	98174	225/65R17	102H	STD
98178		235/65R17	104T	STD	OWL
98186		245/70R17	110T	STD	OWL
98193		265/70R17	115T	STD	BSW
98184		245/65R17	107T	STD	BSW
98191		265/65R17	112T	STD	BSW
98179		235/65R18	106H	STD	BSW
18	98188.1	255/65R18	111T	STD	BSW
	98197	275/65R18	116T	STD	BSW
	98177	235/60R18	103H	STD	BSW
	98183	245/60R18	105H	STD	BSW
	98190	265/60R18	110T	STD	BSW
20	98524	255/55R18	109H	XL	BSW
	98196	275/60R20	115H	STD	BSW
	98195	275/55R20	117H	XL	BSW
	98525.1	255/50R20	109V	XL	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TIS® TT1 by HERCULES</b>				
17	98529.1	33X12.50R17	120Q	E BSW
	98530	35X12.50R17	125Q	E BSW
18	98531	33X12.50R18	122Q	F BSW
	98534	35X12.50R18	128Q	F BSW
20	98528	33X12.50R20	119Q	F BSW
	98527	35X12.50R20	125Q	F BSW
	98526	37X12.50R20	126Q	E BSW
	98532	37X13.50R20	128Q	F BSW
	98533.1	33X14.50R20	125Q	F BSW
22	98537	35X14.50R20	127Q	F BSW
	98535	33X12.50R22	114Q	F BSW
	98536	35X12.50R22	121Q	F BSW
	98538	37X13.50R22	128Q	F BSW
	98541	33X14.50R22	117Q	F BSW
24	98540	37X13.50R24	124Q	F BSW
	98542	33X14.50R24	114Q	E BSW
26	98544	35X15.50R24	117Q	E BSW
	98543	35X13.50R26	118Q	E BSW
	98539	37X13.50R26	117Q	F BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>TIS® UT1 by HERCULES</b>				
12	98545	25x8.00R12	48J	D RBL
	98546	25x11.00R12	55J	D RBL
	98547	25x10.00R12	58J	D RBL
14	98485	28x10.00R14	60J	D RBL
	98486	30x10.00R14	66J	D RBL
	98488	32x10.00R14	71J	D RBL
	98548	27x11.00R14	55J	D RBL
	98549	33x10.00R14	62J	D RBL
15	98550	27x9.00R14	72J	D RBL
	98487	30x10.00R15	68J	D RBL
	98489	32x10.00R15	73J	D RBL
	98490	35x10.00R15	80J	D RBL
	98551	33X10.00R15	71J	D RBL

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
<b>AVALANCHE® RT</b>				
15	02370	235/75R15	109T	XL BSW
	02220	205/70R15	96T	STD BSW
	02270	215/70R15	98T	STD BSW
	02112	175/65R15	84T	STD BSW
	02149	185/65R15	88T	STD BSW
	02152	195/65R15	95T	XL BSW
	02186	205/65R15	94T	STD BSW
	02125	185/60R15	88T	XL BSW
	02160	195/60R15	88T	STD BSW
	02511	215/70R16	100T	STD BSW
	02515	225/70R16	103T	STD BSW
	02517	235/70R16	106T	STD BSW
	02201	205/65R16	95T	STD BSW
	02250	215/65R16	98T	STD BSW
	02310	225/65R16	100T	STD BSW
16	02350	235/65R16	103T	STD BSW
	02182	205/60R16	92T	STD BSW
	02439	215/60R16	95H	STD BSW
	02470	225/60R16	98H	STD BSW
	02330	235/60R16	100T	STD BSW
	02400	205/55R16	94H	XL BSW
	02229	215/55R16	97T	XL BSW
	02260	215/65R17	99T	STD BSW
	02315	225/65R17	102T	STD BSW
	02360	235/65R17	104T	STD BSW
17	02240	215/60R17	96T	STD BSW
	02300	225/60R17	99T	STD BSW
	02340	235/60R17	102T	STD BSW
	02425	215/55R17	94H	STD BSW
	02290	225/55R17	97T	STD BSW
	02500	235/55R17	99H	STD BSW
	02380	205/50R17	93H	XL BSW
	02420	215/50R17	95H	XL BSW
	02461	225/50R17	94H	STD BSW
	02410	215/45R17	91H	XL BSW
	02280	225/45R17	94T	XL BSW
	02490	235/45R17	94H	STD BSW
18	02513	235/65R18	106T	STD BSW
	02480	225/60R18	100H	STD BSW
	02514	235/60R18	103T	STD BSW
	02518	225/55R18	98T	STD BSW
	02510	235/55R18	100H	STD BSW
	02519	235/50R18	97T	STD BSW
	02441	225/45R18XL	95H	XL BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

AVALANCHE® XUV				
18	03131	265/65R18	114T	STD BSW
	03111	245/60R18	105T	STD BSW
	03130	265/60R18	110T	STD BSW
	03122	255/55R18	109T	XL BSW
19	03112	235/55R19	105T	XL BSW
	03114	245/55R19	103T	STD BSW
	03124	255/50R19	107H	XL BSW
20	03118	245/50R20	102T	STD BSW
	03121	255/50R20	109H	XL BSW
	03120	265/50R20	107H	STD BSW

AVALANCHE® TT				
16	01762	265/70R16	112T	STD BSW
	01770	235/65R16C	121/119R	E BSW
17	01760	255/70R17	112T	STD BSW
	01763	265/70R17	115T	STD BSW
18	01766	275/65R18	116T	STD BSW
	01765	275/60R20	115T	STD BSW
20	01764	275/55R20	117T	XL BSW
	01767	285/45R22	114T	XL BSW

LT SIZES				
16	01771	LT225/75R16	115/112Q	E BSW
	01774	LT245/75R16	120/116R	E BSW
	01779	LT265/75R16	123/120R	E BSW
	01785	LT285/75R16	126/123R	E BSW
17	01772	LT235/80R17	120/117Q	E BSW
	01775	LT245/75R17	121/118Q	E BSW
	01773	LT245/70R17	119/116R	E BSW
	01777	LT265/70R17	121/118R	E BSW
18	01778	LT265/70R18	124/121Q	E BSW
	01783	LT275/70R18	125/122R	E BSW
	01780	LT275/65R18	123/120R	E BSW
20	01781	LT275/65R20	126/123R	E BSW
	01776	LT265/60R20	121/118R	E BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

STRONG GUARD® ST				
13	98492	ST175/80R13	91/87N	C BSW
	98493	ST205/75R14	105/101N	D BSW
14	98494	ST215/75R14	102/98N	C BSW
	98495	ST205/75R15	107/102N	D BSW
15	98496	ST225/75R15	117/112N	E BSW
	98497	ST235/80R16	124/120N	E BSW
	98498	ST235/85R16	128/124N	F BSW

H-901 LT				
16	91994	LT225/75R16	119/116N TL	F BSW
	91212	LT235/85R16	126/123 L	G BSW
	91995	LT245/75R16	123/120N TL	F BSW

H-901 ST				
15	95135	ST225/75R15	121/118L	F BSW
	92875	ST225/90R16	129/124L	G BSW
16	95134	ST235/85R16	132/127L	G BSW
	95133	ST235/80R16	129/125L	G BSW

LOW-PRO H-D				
14	95272	ST175/85D14.5	110L	F BSW
	95273.1	ST205/85D14.5	120L	G BSW
	95274	ST225/75D14.5	125L	G BSW





## US/CANADA

---

**CONSUMER RELATIONS:** 800.677.9535

**GENERAL INQUIRIES:** [info@herculestires.com](mailto:info@herculestires.com)

**MAILING ADDRESS:** The Hercules Tire & Rubber Company  
12200 Herbert Wayne Ct, Ste 150  
Huntersville, NC 28078 USA

[HERCULESTIRES.COM](http://HERCULESTIRES.COM)



**HERCULES TIRES**  
*Ride on our strength.*